

„GEO RPP AG“ – GEOTEXTILES



Die geo-logische Kompetenz

TECHNICAL DATASHEET

THE ALTERNATIVE GEOTEXTILE MADE FROM 100% PP-FIBRES FOR ALL GEOTECHNICAL APPLICATIONS.

			GEO RPP AG 200	GEO RPP AG 300	GEO RPP AG 400	GEO RPP AG 500	GEO RPP AG 700
MECHANICAL PROPERTIES							
Mass		g/m ²	200	300	400	500	700
Thickness	Load 2 kPa	mm	2,0	2,5	3,0	3,5	5,0
Tensile Strength	längs	kN/m	2,0	4,0	5,0	7,0	10,0
	quer	kN/m	2,0	4,0	5,0	7,0	10,0
Elongation at break	längs	%	≥ 60	≥ 60	≥ 60	≥ 60	≥ 60
	quer	%	≥ 60	≥ 60	≥ 60	≥ 60	≥ 60
FORMS OF SUPPLY							
Width		m	1- 6	1- 6	1- 6	1- 6	1- 6
Length		m	120	80	60	50	35

THE VALUES GIVEN ARE INDICATIVE AND CORRESPOND TO AVERAGE RESULTS OBTAINED IN OUR LABORATORIES AND INDEPENDENT TESTING INSTITUTES.
THE RIGHT IS RESERVED TO MAKE CHANGES WITHOUT NOTICE AT ANY TIME
(Ö / D / FEBRUARY 2002)

GEOFELT G.m.b.H.
Rainerstraße 14
Tel. +43 (732) 60 98 60
Fax +43 (732) 60 98 608
A-4020 Linz / Österreich

Büro Deutschland
Platzhoffstraße 17
Tel. (0202) 3702026
Fax (0202) 3702027
D-42115 Wuppertal

INTERMEDIATE GRADES AVAILABLE ON REQUEST